Item 14 'ab I 49.89:82/47-1/map C 3

MAP C3

MMS 85-0011
FWS/OBS-82/47.1

Crestview

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS





SOILS AND LANDFORMS



ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:

A. BIOLOGICAL RESOURCES
B. SOCIOECONOMIC FEATURES
C. SOILS AND LANDFORMS
D. OIL, GAS AND MINERALS
E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife
Service and Minerals Management Service



1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
20,000-foot grid ticks based on Florida coordinate system, west zone

Overlay material compiled in 1983 from best available data obtained from Federal, State and Local government agencies and other sources.

MAJOR SURFACE LANDFORMS

Western Highlands	Fountain Slope
Escambia Valley	Grand Ridge
Gulf Coastal Lowlands	Northern Highlands
Gulf Barrier Chain	Central Swamps
Marianna Lowlands	Brooksville Ridge
New Hope Ridge	Western Valley
Greenhead Slope	

SOIL ASSOCIATIONS

1. Lakeland-Eunola-Lakewood Association
2. Lakeland, Ruston, and Norfolk Sunsweet, Lakeland-Fuquay Association
3. Red Bay-Blanton Association
4. Tifton-Carnegie-Faceville Association
5. Norfolk-Ruston-Savannah Association
6. Tifton-Irvington-Lynchburg Association
7. Kalmia-Bonneau Association
8. Kershaw-Fuquay-Ocilla Association
9. Coastal Dune Land and Beach-Tidal Marsh Association
10. Pioneer-Rutlege-Albunol Land-Fresh Water Swamp-Donovan-Pamlico Association
11. Lakeland-Fuquay-Orangeburg Association
12. Lakeland-Troup Association


EGLIN
AIR
FORCE
BASE
GULF COASTAL LOWLANDS

G U L F C O A S T A L L O W L A N D S
SCALE 1:100 000
1 CENTIMETER ON THE MAP REPRESENTS 1 KILOMETER ON THE GROUND
CONTOUR INTERVAL 5 METERS
KILOMETERS
MILES
METERS
FEET

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE ECOLOGICAL SERVICES PROGRAM, SOUTHEAST REGION, ATLANTA, GEORGIA, UNDER TEAM #1640-1060 - 80-NTE AND THE MINERALS MANAGEMENT SERVICE FOR COASTAL PLANNING, MAPPING MATERIALS, AND THE GENERAL PUBLIC. TO DETERMINE AND DOCUMENT THE ECOLOGICAL RESOURCES, FISH AND WILDLIFE RESOURCES, ENDANGERED WILDLIFE REQUIREMENTS, AND THE MAINTENANCE OF ECOLOGICAL DIVERSITY. THE ATLAS COVERS THE 35 COASTAL COUNTIES OF FLORIDA FROM ESCAMBIA, OKALOOSA, WALTON, WASHINGTON, BAY, CALHOUN, GULF, FRANKLIN, WAKULLA, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS APPROXIMATELY 10 MILES INLAND FROM THE COAST. THE USE AND APPLICATION OF PRODUCTS OF THIS STUDY, TO DEFINE THE LIMITS OF PROPRIETARY JURISDICTION OF ANY FEDERAL STATE, OR LOCAL GOVERNMENT TO ESTABLISH THE GEOGRAPHIC SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS INCLUDING MAPS, AERIAL PHOTOS, AND REPORTS. SINCE MANY SOURCES REFERENCED ARE OF DIFFERING SCALES, ACCURACIES AND OTHER MAPPED FEATURES, THE USER SHOULD NOT RELY ON THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Physiographic Map of Florida. State Bureau of Geology, 1982.

SOILS: General Soils Atlas of Florida. Division of State Planning, 1975. Soil Conservation Survey, 1982.

ACTIVE DUNES: Black and White Aerial Photographs, 1:80,000 Scale. Mark Hurd Aerial Surveys Inc., 1981. Color Infrared Photos, 1:24,000 Scale. U.S. Geological Survey, various dates.

GEOLOGIC FAULTS: Map of Escambia and Santa Rosa Counties Showing Contours on top of Pensacola Clay and Base of Sand Aquifer. State Bureau of Geology, 1985.

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

10. Plummer-Rutlege-Alluvial Land-Fresh Water Swamp-Dorovan-Pamlico Association: Nearly level, poorly drained soils with a thick surface layer overlying a loamy subsoil and very poorly drained soils that are sandy throughout.
12. Lakeland-Troup Association: Nearly level to steep, excessively drained soils with sandy throughout; well drained soils with very thick sandy layers over loamy subsoil.
13. Troup-Orangeburg Association: Nearly drained nearly level to steep, well drained, sandy soils with loamy subsoils.
14. Dothan-Orangeburg Association: Nearly level to sloping, well drained, sandy soils with loamy subsoils.
16. Chipley-Scranton Association: Nearly level to gently sloping, moderately well to somewhat poorly drained sandy soils.
18. Fuquay-Lucy-Troup Association: Nearly level to sloping, well drained sandy soils with loamy subsoil.
20. Dothan-Orangeburg-Tifton Association: Nearly level to steep, well drained sandy soils with loamy subsoil.
21. Lakeland-Faceville Association: Sloping to steep, excessively drained soils, well drained, and well drained, loamy soils with clayey subsoil.
22. Chipley-Albany-Leon Association: Nearly level to gently sloping, moderately well drained soils, sandy throughout; somewhat poorly drained soils with very thick sandy layers over loamy subsoils, and poorly drained sandy soils with a thick coverstrat sandy subsoil.
23. Astatula-Lakeland-Scranton Association: Nearly level to gently sloping, somewhat poorly drained and moderately well drained sandy soils with loamy subsoil.
24. Tifton-Faceville-Greenville Association: Nearly level to sloping, well drained loamy soils with loamy subsoil.

E = ft/yr — BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

A = ft/yr — BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D — NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

U / D — SUB-SURFACE NORMAL FAULT (Showing relative vertical movement, U. up, and D. down)

STUDY AREA BOUNDARY

(Water)

Inland (County)

Inland (State)



1. Pensacola Bay-Escambia River
2. Choctawhatchee Bay
3. St. Andrew Bay
4. Apalachicola Bay
5. Carrabelle River-St. George Sound
6. Apalachee Bay
7. Aucilla River-Keaton Beach
8. Big Bend Coastal Marshes
9. Waccasassa Bay
10. Withlacoochee Bay
11. Crystal River-Kings Bay
12. Homosassa River-Chassahowitzka River
13. Weeki Wachee River-Mud River
14. Pithlachascotee River-Anclote River
15. Anclote River-Lake Tarpon
16. Boca Ciega Bay
17. Tampa Bay
18. Little Manatee River-Terra Ceia Bay
19. Manatee River-Sarasota Bay
20. Roberts Bay-Lemon Bay
21. Charlotte Harbor-Estero Bay
22. Rookery Bay-Cape Romano
23. Ten Thousand Islands
24. Whitewater Bay-Joe Bay
25. Florida Bay
26. Biscayne Bay
27. Card Sound-Barnes Sound
28. Key Largo
29. Upper Key Largo
30. Long Key-Conch Key
31. Lower Matecumbe Key
32. Upper Matecumbe Key
33. Windley Key-Plantation Key
34. Upper Key Largo
35. Long Key-Conch Key
36. Lower Matecumbe Key
37. Upper Matecumbe Key
38. Windley Key-Plantation Key
39. Key Largo
40. Long Key-Conch Key
41. Lower Matecumbe Key
42. Upper Matecumbe Key
43. Windley Key-Plantation Key
44. Key Largo
45. Long Key-Conch Key
46. Lower Matecumbe Key
47. Upper Matecumbe Key
48. Windley Key-Plantation Key
49. Key Largo
50. Long Key-Conch Key
51. Lower Matecumbe Key
52. Upper Matecumbe Key
53. Windley Key-Plantation Key
54. Key Largo
55. Long Key-Conch Key
56. Lower Matecumbe Key
57. Upper Matecumbe Key
58. Windley Key-Plantation Key
59. Key Largo
60. Long Key-Conch Key
61. Lower Matecumbe Key
62. Upper Matecumbe Key
63. Windley Key-Plantation Key
64. Key Largo
65. Long Key-Conch Key
66. Lower Matecumbe Key
67. Upper Matecumbe Key
68. Windley Key-Plantation Key
69. Key Largo
70. Long Key-Conch Key
71. Lower Matecumbe Key
72. Upper Matecumbe Key
73. Windley Key-Plantation Key
74. Key Largo
75. Long Key-Conch Key
76. Lower Matecumbe Key
77. Upper Matecumbe Key
78. Windley Key-Plantation Key
79. Key Largo
80. Long Key-Conch Key
81. Lower Matecumbe Key
82. Upper Matecumbe Key
83. Windley Key-Plantation Key
84. Key Largo
85. Long Key-Conch Key
86. Lower Matecumbe Key
87. Upper Matecumbe Key

MISSING FROM BEST AVAILABLE COPY